

Datum: 17.08.2026

Davčna št.: si20355289

Telefon: 040 426 026

E-mail: prodaja@alt-store.siWWW: www.altstore.si

MikroTik hAP ac (RB962UiGS-5HacT2HnT) usmerjevalnik

Kategorija: [Usmerjevalniki](#)Dobavljivost: **Ni na zalogi**Šifra: **147908****Cena: 119,44€** ~~135,73€~~

(slika je simbolična)

Kratek opis

MikroTik hAP ac - 720 MHz CPU, 128 MB RAM-a, 5x Gigabit LAN

HAP ac je najbolj univerzalna naprava WLAN za vaš dom ali pisarno. Gre za dvopojasno napravo z gigabitnimi vrati, ki zagotavlja vse prednosti tehnologije 802.11ac, hkrati pa je združljiva s starejšimi napravami.

Omni antene vam omogočajo, da namestite hAP ac v vse mogoče položaje; Oddajnik velike moči zagotavlja zadostno pokritost za vse vaše mobilne naprave.

Druge uporabne funkcije vključujejo vrata USB za povezavo zunanega pomnilnika ali 3G / 4G modema, PoE na zadnjem Ethernet vmesniku za napajanje drugih naprav RouterBOARD in kletko SFP za povezovanje aktivnih oz. pasivni moduli optičnega omrežja.

Specifications

Details	
Product code	RB962UiGS-5HacT2HnT
Architecture	MIPSBE
CPU	QCA9558
CPU core count	1
CPU nominal frequency	720 MHz
Dimensions	114 x 137 x 29mm
License level	4
Operating System	RouterOS
Size of RAM	128 MB

Details	
Storage size	16 MB
Storage type	FLASH
Tested ambient temperature	-40°C to 70°C
Suggested price	\$129.00

Powering

Details	
PoE in	Passive PoE
PoE in input Voltage	11-57 V
PoE out	Passive PoE
PoE-out ports	Ether5
Number of DC inputs	2 (DC jack, PoE-IN)
DC jack input Voltage	11-57 V
Max out per port output (input < 30 V)	700 mA
Max total out (A)	700 mA
Max power consumption	17 W

Wireless

Details	
AC speed	AC1750
Antenna gain dBi for 2.4 GHz	2.5
Wireless 2.4 GHz standards	802.11b/g/n
Wi-Fi generation	5
Wireless 2.4 GHz Max data rate	450 Mbit/s
Wireless 5 GHz Max data rate	1300 Mbit/s
Wireless 2.4 GHz number of chains	3
Wireless 2.4 GHz chip model	QCA9558
Wireless 5 GHz number of chains	3
Wireless 5 GHz standards	802.11a/n/ac
Antenna gain dBi for 5 GHz	2
Wireless 5 GHz chip model	QCA9880

Ethernet

Details	
10/100/1000 Ethernet ports	5

Fiber

Details	
SFP ports	1

Peripherals

Details	
Number of USB ports	1
USB Power Reset	Yes
USB slot type	USB type A
Max USB current (A)	1

Other

Details	
PCB temperature monitor	Yes
Voltage Monitor	Yes

Več na: [uradni strani](#)